

OPTISORB 40

OPTISORB 40



OPTISORB 40 IS A NON TOXIC, ALL NATURAL, ORGANIC INDUSTRIAL ABSORBENT THAT IS ECONOMICAL, NON-ABRASIVE, NON-LEACHING AND IN ITS NATURAL STATE, IS ALREADY BIODEGRADED.

Why should you use Optisorb 40?

- Does not require specially trained personnel or high tech equipment.
- A highly effective absorbent which saves time and money.
- Lightweight, economical, efficient and easy to use.
- It will not leach or discharge absorbed pollutants.
- Contains oil eating bacteria.
- Environmentally friendly (over time Optisorb 40 will break down pollutants and return to its natural state).
- Has a powerful wicking action which encapsulates fuels, oils solvents, and other hydrocarbon based liquids on contact.
- Suppresses vapours and absorbs hydrocarbons in dry or wet conditions.
- Is effective on land or water especially around shore lines.
- Optisorb 40 is safe to incinerate or use in most land fills (contact local authorities for advice and instructions).

Oil eating bacteria

Optisorb 40 contains an organic product found naturally in the ground. Optisorb 40 is unique in respect of the oil eating bacteria it contains in comparison to cellulose based products such as cotton pulp, paper and wood fibre all of which contain small numbers of oil eating bacteria or none at all.

Ideal for

- ROAD TRANSPORT SPILLS
- MINING AND EXPLORATION
- FABRICATION SHOPS
- CIVIL WORKS
- CHEMICAL STORAGE
- MARINE SPILLS

Absorbs

- OIL
- FUELS
- SOLVENTS
- CHEMICALS



| Part no | Size | Weight | Pallet qty |
|----------|------|--------|------------|
| OPT 4003 | 3L | 2kg | 300 |
| OPT 4007 | 7L | 4kg | 150 |
| OPT 4020 | 20L | 11kg | 48 |
| OPT 4030 | 30L | 15kg | 48 |

OPTISORB 20 / OPTISORB 60



OPTISORB 60

OPTISORB 60 is a non-toxic 100% organic absorbent for use in the most sensitive environments.

This is a naturally occurring product which is partly biodegraded and contains oil-eating bacteria. When used to pick up oil and fuel, OPTISORB 60 will not leach these pollutants to the environment and will actually break them down into a harmless state.

For marine environments OPTISORB 60 is particularly suitable as it will float and collect hydrocarbons from the surface of the water. This makes for a very effective clean up of oil slicks on a small or large scale.

Ideal for

- MARINE SPILLS
- COUNCIL RESERVES
- ENVIRONMENTALLY SENSITIVE AREAS
- PARKS AND GARDENS



| Prt No. | Desc | Pck Qty |
|----------|-----------|-----------|
| OPT 6030 | 30L - 7kg | 48/Pallet |



OPTISORB 20

OPTISORB 20 is an efficient and cost effective absorbent for use on almost any type of spill. This absorbent has been developed and used by the transport sector and offers superior non-slip features over other absorbent types.

OPTISORB 20 has a speedy wicking rate and will not leach absorbed pollutants when disposed to landfill. The universal properties of OPTISORB 20 make it ideal for use on fuels, oils, acids, solvents, and paints. Available in two popular sizes as shown below.

Ideal for

- ROAD TRANSPORT SPILLS
- FACTORY FLOOR SPILLS
- PETROLEUM INDUSTRY
- CHEMICAL STORAGE
- CIVIL WORKS



| Prt No. | Desc | Pck Qty |
|----------|-----------------|-----------|
| OPT 2015 | 15L - 15kg Bag | 60/Pallet |
| OPT 2010 | 10L - 10kg Pail | 96/Pallet |